7.1.6

9a (משנה ג') → 10a (אבל התם לא)

- I. משנה ג' moving a ladder from one dove-cote to another
 - a. "z" forbid (but allow moving it from window to window within one cote)
 - b. ב"ה permit
- II. Analyses
 - a. רה"י (all permit in רה"ר) רה"ר (all permit in רה"ר)
 - i. מראית העין concern is מראית העין (moving the ladder for work in the garden e.g.)
 - ii. π"z. the cote indicates his purpose
 - 1. Challenge: doesn't מראית העין extend to situations beyond real concern (רב)?
 - 2. Answer: that is subject to dispute, as per חכמים against חכמים
 - b. רה"ר (all agree that it is forbidden in רה"ר (all agree that it is forbidden in רה"ר
 - i. Dispute: revolves around extension of מראית העין to private areas
 - ii. Challenge: is רב ruling like ב"ש/
 - iii. Answer: issue is subject to dispute of דה"ר would maintain that ב"ם permit even in רה"ר

III. Related ברייתא

- a. ב"ה משר"ה and ב"ה agree that a ladder may be moved from cote to cote; dispute re: returning it
- b. ד' יהודה. only regarding a cote-ladder; they agree to forbid a loft-ladder
- c. ד' דוסא. it may be moved from window to window
 - i. בשם ר' דוסא) the base may even be adjusted a bit
- d. אייא sons (version1): they permitted a loft-ladder to be moved
 - i. Reasoning: since ר"י claimed that ב"ש/ב"ם agree about it, הודה must hold
 - 1. That: their disagreement is maintained vis-à-vis a loft-ladder
 - ii. הייא correction: ר' יהודה was explaining the reasoning of ת"ק
- e. אייא '7's sons (version2): they permitted it to be leaned from one window to another,
 - i. Reasoning: ר' דוסא came to permit what ר' יהודה forbade (moving a loft-ladder);
 - ii. *But*: the opposite is true ר' יהודה) allowed moving a cote-ladder
 - 1. ב' דוסא limited permission to window-to-window, never relating to a loft-ladder)

IV. Clarifying ב"ה v. ב"ה throughout the chapter

- a. משנה ב' suggested switching משנה ב' in ב"ה $\leftarrow \rightarrow$ משנה, keeping משנה, keeping ב"ש in all cases
- b. Each case: from later משנה is raised against משנה and the distinction is defended:
 - i. "z" only allows covering the blood because the shovel is plugged and ready
 - ii. 7"z allows in each case due to a local reason